

TRAMONTANE

BAR COVER



2 models: TRAMONTANE and TRAMONTANE+

- Safety and protection for your pool all year round
- High-quality materials and finishes
- Wide choice of colors



PVC
580 g/m²
DOUBLE
SIDED



3 YEARS
WARRANTY
MANUFACTURING
DEFECTS

FLUIDRA

Why choose a TRAMONTANE BAR cover



GUARANTEED SAFETY

Compliant with the NF P90-308 standard, the TRAMONTANE and TRAMONTANE+ bar covers ensure **optimal safety for pools up to 12 x 6 m**. Beyond that, the cover will no longer comply with the safety standard and will therefore be simply a convenience cover.

Overhang of 0.30 m on the perimeter to prevent external pollution from filtering into the pool.

The major assets of the 2 TRAMONTANE models are their finish, with **their hems welded** on the lengths, and in their complete mounting system. Two longitudinal tensioning straps hold the cover firmly to the ground and prevent it from lifting in the wind.

There are also **laterally adjustable tensioning straps** to adapt the position of the mounts to the space and the external surroundings. The **TRAMONTANE+** cover also has an S-hook on the tensioning straps for quick pool safety. The S-hook has the benefit of **quickly locking or releasing the cover** without having to remove the tensioning strap from the ratchet.

Anti-abrasion strips are added on the 2 lengths at the level of the coping to protect the cover from abrasion.

Pool safety and protection are the features promised by the TRAMONTANE and TRAMONTANE+ bar covers.

TECHNICAL AND PRACTICAL BENEFITS

TRAMONTANE and TRAMONTANE+ can be installed on all types of hard ground (*excluding lawns and synthetic turf*) thanks to the 2 mounting options: with aluminum/stainless steel socket or with wooden decking ring bolts.

The covers also have drainage holes every 20 cm to avoid water accumulation and, consequently, the deformation of the bars or the membrane.

TRAMONTANE and TRAMONTANE+ are supplied with 1 crank handle with reducer for pools up to 9 x 4 m. For larger dimensions, 2 crank handles are supplied with the cover and are positioned at each end.

AESTHETIC, FRENCH MANUFACTURE



Choosing a TRAMONTANE or TRAMONTANE+ bar cover is a guarantee **of superior quality French manufacturing**.


Made of 580 g/m² double-sided PVC, each bar is fitted with a protective cover to prevent damage to the pool coping.

You'll be convinced by the range of 7 colors in contemporary or classic style!

TRAMONTANE meets every COLOR need or preference!




COLORS




CUSTOMIZATION


Does your pool have a ladder or steps? No problem! Your TRAMONTANE or TRAMONTANE+ bar cover can be customized for the dimensions of your pool and its fittings thanks to the different cuts available. Perfect finishes and fits guaranteed!



Scale cutout and simple block




Cutout with folding flap for block with hoops



Configuration of a pool with ladder

DETAILED VIEW



- 1 Unrolling strap
- Adjustable lateral tensioning strap
+ stainless steel ratchet + aluminum/stainless steel socket ring bolts
- 2 + S-hook for easy attachment → TRAMONTANE+
(quantity according to pool width)
- 3 Male end caps riveted to the 2 female ends of the tube
- 4 Anodized aluminum bars
- 5 Crank handle supplied with the cover
1 crank handle with reducer for 9 x 4 m pool max
2 crank handles for pools larger than 9 x 4 m


- 6 Holding straps with stainless steel ring
L = 20 cm adjustable laterally + alu/stainless steel ring bolts
- 7 Anti-lift strap passing through a 6 cm hem
(without quick-release S-hook)
- 8 Gray cap stopper
- 9 Anti-abrasion PVC pad on each bar at the level of the coping
- 10 Gray cap stopper
- 11 Anti-abrasion band → TRAMONTANE+
(PVC strip of 20 cm along the 2 lengths at the level of the coping stones to protect the cover)

OPTIONAL EXTRAS



Coping replacement profiles for steps positioned along the length

1 Aluminum tube replacement profile + PVC end caps



Anti-lift kit

- 2 Strap with 1/2 moon on each intermediate bar
- 3 25 cm cords
- 4 Aluminum/stainless steel sockets prevent the cover from being lifted by the wind - 2 anti-lifting straps are needed on each bar

And for easy handling of the TRAMONTANE and TRAMONTANE+, consider the DROOPI motorized rolling system

