


COVERLY

AUTOMATIC ABOVE-GROUND COVER



- Specially designed for small pools
 - Compact, modern design
 - Une collection de 4 coloris
 - Fabrication française
- (Not compatible with the COVERLY BATTERY model)*



3-YEAR
WARRANTY
MOTOR AND
CONTROL BOX



1-YEAR
WARRANTY
BATTERY



Water
conservation




MADE IN
FRANCE



FLUIDRA

Why Choose the COVERLY Automatic Cover?



GUARANTEED SAFETY

The COVERLY automatic cover ensures optimal pool safety. Compliant with standard **NF P90-308** according to the chosen safety system.


For a pool with a width at water level:

- **from 0 to 1.99 m:** the cover is not compliant with the NF P90-308 standard, regardless of the safety system.
- **≥ 2 m:** The cover complies with standard NF P90-308 regardless of the safety system (ABS, fabric, or stainless steel) and is designed for wall or coping installation.

Ultra-resistant clamps, for wall or coping installation, closing off the pool in a safe way. Once fitted, access to the water is blocked*.

Once closed, the COVERLY cover also protects the pool from debris such as leaves, pollen, and dust. It also acts as a thermal barrier, reducing water evaporation and heat loss.

TECHNICAL AND PRACTICAL BENEFITS



Ease of use: thanks to the tubular motor fitted in the roller shaft, the cover rolls up and unrolls in no time with a simple turn of the key or from your smartphone via the optional Cover Connect app.

Disengageable motor: for added peace of mind and to manually secure the pool in the event of a prolonged power outage or any other potential malfunction.

Peace and quiet: COVERLY is equipped as standard with a limit switch system. Once the closing mechanism is engaged, **the cover stops automatically at the end of the pool.**

Perfectly adapted to market developments: for users who have opted for water treatment with a salt chlorinator, the electrolysis contact option is also available. Depending on the chlorinator settings, the chlorine dose will be dispensed automatically based on whether the automatic cover is open or closed.



AESTHETIC FRENCH MANUFACTURING



The 143-mm-diameter roller shaft is made of anodized aluminum. The colored strip on the base is made of powder-coated aluminum. The rest of the housing is made of ASA, a polymer that is highly resistant to weathering and UV radiation.

4 trendy colors for the base, perfectly matching the white trim: **Charcoal Gray, Light Gray, Sand, White.**

And for an even more balanced look, the stainless steel safety straps are color-coordinated with the PVC slats.

** Please note: a safety cover is not a substitute for common sense or personal responsibility. Nor is it intended to replace the vigilance of parents or responsible adults, which remains the key factor when protecting others, especially young children.*

The COVERLY Automatic Cover, designed for SMALL POOLS



White / White



White / Gray Charcoal



White / Light Gray



White / Sand

COVERLY



BASE SWITCH


 COVER CONNECT
OPTIONAL

 3-YEAR
WARRANTY
MOTOR AND
CONTROL BOX

 NF
P90-308

 Motor :
Disengageable tubular

 COVERLY
Pool (internal dimensions):
3,5 x 7 m
or
3 x 8 m max

Motorized roller
WITH Limit switch
OPTIONAL Electrolysis contact


Base:

COVER CONNECT *

MOBILE APP (OPTIONAL)

Built directly into the base, the Bluetooth receiver is invisible to the naked eye.

The app makes it easy to open and close the cover. **For compliance with the NF P90-308 standard**, the user must stay by the pool.

After a quick initial pairing process, the connection is established automatically with an unlimited number of smartphones.

Available in 8 languages for both Android & iOS.

As an option, you can add a wireless wall-mounted control panel for even greater versatility and convenience. A keychain remote control is also available as an option, but it is not compliant with the NF P90-308 standard.



White / White



White / Gray Charcoal



White / Light Gray



White / Sand

COVERLY BATTERY



BASE SWITCH


 1-YEAR
WARRANTY
BATTERY

 3-YEAR
WARRANTY
MOTOR

 NF
P90-308

 Motor :
Tubular

 COVERLY BATTERY
Pool (internal dimensions):
3.5 x 7 m
or
3 x 8 m max

Motorized roller
WITH Limit switch


Base :

IDEAL FOR RENOVATION

This new version is particularly well-suited for **pool renovations**: easy installation by a professional, with no electrical connection required.

Model **100% battery-powered autonomy** (delivered with the base): once fully charged (4 hours), it can power 12 "open/close" cycles. Battery level indicator on the front panel. Minimal floor space required.



COVERLY, THE COMPONENTS:



AUTOMATIC COVER SLATS

The slats are an integral component of the above-ground automatic cover.

They must comply with standards, look good and offer maximum durability.

Les lames en PVC garantissent :

- standard-compliance,
- UV and impact resistance,
- a sleek slat profile and a wide range of colors to blend seamlessly with the surroundings,
- excellent buoyancy and watertightness thanks to the welded caps,
- a 3-year waterproofing warranty,
- compatibility with saltwater chlorinator water treatment,
- PVC slats cut to size for all pool configurations.



Efficiency according to the NF EN 17645:2022 standard

Medium Gray

Gray

White

Sand

First slat fitted with a guide for winding onto the roller.

FINISHES FOR THE DECKING AND STEPS




Right-angle cutting




Shaped cutting


Shapes




Roman steps



Straight steps



Free-form steps



Trapezoidal steps




SAFETY SYSTEMS

For wall or coping installation

Buckle system with a fabric strap






ABS system



INOX system

316L stainless steel buckle + PVC strap in the same color as the slat



OPTIONAL WINTER NET FOR AUTOMATIC COVER

The automatic cover net is a very pocket-friendly solution for protecting your decking in winter and making it easier and quicker to reopen the pool in spring by preventing leaves, pine needles, and other unwanted debris from dirtying the cover. Very lightweight gray net, attached at all four corners of the pool.